

Daphne.Duke

2013-16845

From: Linda Stevenson [REDACTED]
Sent: Tuesday, March 18, 2014 4:12 PM
To: 'Catherine Templeton'; David Wilson; Elliott.Richard@epa.gov; Jones.Laurie@EPA.gov
Cc: Anne.Frate@usdoj.gov; Campbell, Chad; Cooper, Sue; Daphne.Duke; Elizabeth.Dieck@dhec.sc.gov; 'greg gregory'; harringc@dhec.sc.gov; Nelson, Jeff; Jocelyn.Boyd; Haley, Nikki; Philip_Land@lgraham.senate.gov; 'ralph norman'; Scott, Dukes; 'Senator Lindsey Graham'
Subject: RE: Consent Order 14-002-w
Attachments: DSC00165.jpg; DSC00166.JPG

This is the extension date for this interim fix to be completed and operative. I do not think this date was met and now the actions need to be taken by DHEC and EPA as stated in Consent Order 14-002-W The last two Consent Orders were not closely monitored and therefore nothing was completed.

Linda Stevenson

From: John Dervay [REDACTED]
Sent: Tuesday, March 18, 2014 1:27 PM
To: Catherine Templeton
Cc: Anne.Frate@usdoj.gov; cambell; Cooper, Sue; 'duke daphne'; Elizabeth.Dieck@dhec.sc.gov; greg gregory; harringc@dhec.sc.gov; Jeff Nelson; 'jocelyn boyd'; JONES.LAURIE@EPA.Gov; NikkiHaley@gov.sc.gov; Philip_Land@lgraham.senate.gov; ralph norman; scott; Senator Lindsey Graham
Subject: Consent Order 14-002-w

Per this Consent Order and the DHEC extension issued 2/26/14, the temporary equalization equipment must be installed and operating on or before 3/18/14. I am requesting a response from you that this has been completed and inspected by your organization. Thank you for your prompt response.

 This email is free from viruses and malware because avast! Antivirus protection is active.





1102 3 10